

## DETAILED ACTION

### *Response to Amendment*

1. The reply filed on August 19, 2009 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s): page 4, paragraph 4 of the Office Action dated February 20, 2009 *required* a substitute specification. A substitute specification is required because the specification as filed is incomplete (For example, see US Publication 20070213920, paragraphs 2, 4, and 9, 11, and 12-13). As stated in the previously mentioned action, a substitute specification excluding the claims is required pursuant to 37 CFR 1.125(a). See 37 CFR 1.111. Since the above-mentioned reply appears to be *bona fide*, applicant is given **ONE (1) MONTH or THIRTY (30) DAYS** from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dale Moyer whose telephone number is (571)270-7821. The examiner can normally be reached on Monday through Thursday from 10AM to 4PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Khoi H. Tran can be reached on (571)272-6919. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3664

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Dale Moyer/

Examiner, Art Unit 3664

/KHOI TRAN/

Supervisory Patent Examiner, Art Unit 3664